

**BIDDING DOCUMENTS FOR THE
PROJECT:**

**CONSTRUCTION OF PERIMETER
FENCE AT URDANETA
DISTRICT JAIL
*(Early Procurement)***

December 2020

TABLE OF CONTENTS

Glossary of Terms, Abbreviations, and Acronyms.....	4
Section I. Invitation to Bid	7
Section II. Instructions to Bidders.....	10
1. Scope of Bid	11
2. Funding Information	11
3. Bidding Requirements.....	11
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	11
5. Eligible Bidders.....	12
6. Origin of Associated Goods	12
7. Subcontracts	12
8. Pre-Bid Conference.....	12
9. Clarification and Amendment of Bidding Documents.....	12
10. Documents Comprising the Bid: Eligibility and Technical Components	13
11. Documents Comprising the Bid: Financial Component	13
12. Alternative Bids	14
13. Bid Prices	14
14. Bid and Payment Currencies.....	14
15. Bid Security.....	14
16. Sealing and Marking of Bids.....	14
17. Deadline for Submission of Bids	15
18. Opening and Preliminary Examination of Bids	15
19. Detailed Evaluation and Comparison of Bids	15
20. Post Qualification.....	15
21. Signing of the Contract	16
Section III. Bid Data Sheet.....	17
Section IV. General Conditions of Contract	19
1. Scope of Contract.....	20
2. Sectional Completion of Works	20
3. Possession of Site.....	20
4. The Contractor’s Obligations.....	20
5. Performance Security	20
6. Site Investigation Reports	21

7.	Warranty.....	21
8.	Liability of the Contractor.....	21
9.	Termination for Other Causes.....	21
10.	Dayworks	21
11.	Program of Work.....	22
12.	Instructions, Inspections and Audits	22
13.	Advance Payment.....	22
14.	Progress Payments	22
15.	Operating and Maintenance Manuals.....	22
Section V. Special Conditions of Contract.....		24
Section VI. Specifications		26
Section VII. Drawings.....		41
Section VIII. Bill of Quantities		42
Section IX. Checklist of Technical and Financial Documents.....		45

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippines
Department of the Interior and Local Government
BUREAU OF JAIL MANAGEMENT AND PENOLOGY
REGIONAL OFFICE I

Parian, City of San Fernando, La Union
Tel/Fax No. (072) 7002068



Invitation to Bid for the Construction of Perimeter Fence at Urdaneta District Jail (Early Procurement)

1. The **Bureau of Jail Management and Penology Regional Office 1 (BJMPRO1)** through the *Implementation of Early Procurement Program (EPA) GPPB Circular 06-2019 dated July 17, 2019* intends to apply the sum of Five Million One Hundred Eight Thousand Five Hundred Eighty-Five Pesos (P5,108,585.00) being the Approved Budget for the Contract (ABC) to payments under the contract for the Construction of Perimeter Fence at Urdaneta District Jail under BJMPRO1 ITB No. 2020-12-35. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The **Bureau of Jail Management and Penology Regional Office 1 (BJMPRO1)** now invites bids for the above Procurement Project. Completion of the Works is required for One Hundred Seventeen (117) Calendar Days. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
4. Interested bidders may obtain further information from BJMPRO1 and inspect the Bidding Documents at the address given below from 8:00 a.m. to 5:00 p.m.
5. A complete set of Bidding Documents may be acquired by interested bidders on **December 08 – 27, 2020 from 8:00 a.m. to 5:00 p.m. and December 28, 2020 from 8:00 to 10:00 a.m.** from given address and at Procuring Entity’s website www.bjmplro-i.ph and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (P10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees *personally*.
6. The BJMPRO1 will hold a Pre-Bid Conference¹ on *December 16, 2020 @ 10:00 a.m.* at BJMPRO1 Multi-Purpose Hall, Camp Florendo, Parian, City of San Fernando, La Union which shall be open to prospective bidders.

7. Bids must be duly received by the BAC Secretariat through manual submission at the office address as indicated below on or before *December 28, 2020 @10:00 a.m.*. Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.
9. Bid opening shall be on *December 28, 2020 @10:00 a.m.* at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The award of this project may be made only upon approval and effectivity of the GAA FY 2021 or the reenactment of the 2020's budget which constitutes the FY 2021's authorized budget, when authorized by the constitution, law or rules.
11. The BJMP reserves the right not to award the contract without any incurring liability if the fund/allotment for the said program/project/activity have been withheld or reduced through no fault of its own.
12. The *BJMPROI* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
13. For further information, please refer to:

JSINSP LITO S LAM-OSEN

BJMPRO1-Logistics Division

BJMPRO1 Camp Florendo, Parian, San Fernando City, La Union

(072) 607-31-79, 09217882738

Litz_140@yahoo.com

14. You may visit the following websites:

For downloading of Bidding Documents: *www.bjmpro-i.ph*

December 07, 2020

ATTY. KENNETH A BID-ING
Jail Senior Superintendent
Chairperson, BAC

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *BJMPRO1* invites Bids for the Construction of Perimeter Fence at Urdaneta District Jail, with Project Identification Number *2020-12-35*.

The Procurement Project (referred to herein as “Project”) is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *Fiscal Year 2021* in the amount of Five Million One Hundred Eight Thousand Five Hundred Eighty-Five Pesos (P5,108,585.00).

2.2. The source of funding is:

a. NGA, the National Expenditure Program.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and

obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA’s CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be “similar” to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address on December 16, 2020 @ 10:00 a.m. at BJMPROI Multi-Purpose Hall, Camp Florendo Parian, City of San Fernando, La Union.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

14.2. *Payment of the contract price shall be made in:*

- a. Philippine Pesos.

15. Bid Security

15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

15.2. The Bid and bid security shall be valid until *One Hundred Twenty (120) Calendar Days from date of Bid Opening*. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately.

19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause																
5.2	For this purpose, contracts similar to the Project refer to contracts which have the same major categories of work, which shall be: <i>Construction of Vertical Concrete Structure.</i>															
7.1	<i>Not applicable</i>															
10.3	<i>No further instruction</i>															
10.4	The key personnel must meet the required minimum years of experience set below: <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;"><u>Key Personnel</u></th> <th style="text-align: left; border-bottom: 1px solid black;"><u>General Experience</u></th> <th style="text-align: left; border-bottom: 1px solid black;"><u>Relevant Experience</u></th> </tr> </thead> <tbody> <tr> <td>1. Project Manager</td> <td>5 years</td> <td></td> </tr> <tr> <td>2. Project Engineer</td> <td>2 years</td> <td></td> </tr> <tr> <td>3. Material Engineer</td> <td>1 year</td> <td></td> </tr> <tr> <td>4. Construction Foreman</td> <td>2 years</td> <td></td> </tr> </tbody> </table>	<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>	1. Project Manager	5 years		2. Project Engineer	2 years		3. Material Engineer	1 year		4. Construction Foreman	2 years	
<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>														
1. Project Manager	5 years															
2. Project Engineer	2 years															
3. Material Engineer	1 year															
4. Construction Foreman	2 years															
10.5	The minimum major equipment requirements are the following: <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;"><u>Equipment</u></th> <th style="text-align: left; border-bottom: 1px solid black;"><u>Capacity</u></th> <th style="text-align: left; border-bottom: 1px solid black;"><u>Number of Units</u></th> </tr> </thead> <tbody> <tr> <td>1. Back Hoe</td> <td>.4 cu.m.</td> <td>1</td> </tr> <tr> <td>2. Concrete Vibrator</td> <td>1 HP</td> <td>1</td> </tr> </tbody> </table>	<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>	1. Back Hoe	.4 cu.m.	1	2. Concrete Vibrator	1 HP	1						
<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>														
1. Back Hoe	.4 cu.m.	1														
2. Concrete Vibrator	1 HP	1														
12	<i>No further instruction</i>															
15.1	The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts: <ul style="list-style-type: none"> a. The amount of not less than P102,171.7, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; b. The amount of not less than P255,429.25 if bid security is in Surety Bond. 															
19.2	Not applicable															
20	<i>No further instruction</i>															
21	<ul style="list-style-type: none"> 1. Construction Schedule and S-Curve 2. PERT/CPM 3. Manpower Schedule 4. Construction Method 5. Equipment Utilization Schedule 6. Construction Safety and Health Program approved by the DOLE 															

Section IV. General Conditions of Contract

1. **Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. **Sectional Completion of Works**

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. **Possession of Site**

4.1. The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the **SCC**, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.

4.2. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. **The Contractor's Obligations**

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. **Performance Security**

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the SCC.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the SCC, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in ITB Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex “E” of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor’s Bid shall be used for small additional amounts of work only when the Procuring Entity’s Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

11.1. The Contractor shall submit to the Procuring Entity’s Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.

11.2. The Contractor shall submit to the Procuring Entity’s Representative for approval an updated Program of Work at intervals no longer than the period stated in the **SCC**. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity’s Representative may withhold the amount stated in the **SCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor’s accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex “E” of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity’s Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

15.1. If required, the Contractor will provide “as built” Drawings and/or operating and maintenance manuals as specified in the **SCC**.

- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the SCC from payments due to the Contractor.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
2	<i>Not applicable</i>
4.1	The Procuring Entity shall give possession of all parts of the Site to the Contractor <i>upon receipt of the Notice to Proceed</i>
6	Not applicable
7.2	Fifteen (15) years.
10	Dayworks are applicable at the rate shown in the Contractor's original Bid.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within <i>Five (5) Days</i> days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is Ten Thousand Pesos (P10,000.00).
13	The amount of the advance payment is <i>Fifteen Percent (15%) of the total contract cost.</i>
14	<i>No further instruction.</i>
15.1	The date by which operating and maintenance manuals are required is <i>upon request of the BJMP.</i> The date by which "as built" drawings are required is <i>w/in Ten (10) Calendar Days upon issuance of Certificate of Completion.</i>
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is Ten Thousand Pesos (P10,000.00).

Section VI. Specifications

SPECIFICATION

DIVISION 1- General Requirement

Project Title: Construction of Perimeter Fence at Urdaneta District Jail

ARTICLE I – Summary of Work

1.1 CONTRACT DOCUMENTS

1.1.1 The contract documents shall consist of documents as stated in the general of the contract.

1.1.1 The intent of this document is to include all labor, materials, appliances and services of any kind necessary for the proper execution of the work.

1.1.2 The contract documents should be considered as one, and whatever is called for by any one of the documents shall be considered as one and whatever is called for by anyone of the documents shall be binding as if called by all.

1.2 WORKED COVERED BY THE CONTRACT DOCUMENT

1.2.1 The Contractor shall undertake the general construction work of the project specified in the contract, subject to all conditions and requirements thereof, and in accordance with the contract documents furnished by the BJMP, in so far as they relate to this project. The contractor shall deliver, furnish, install place and complete any and all necessary materials, plants, tools, appliances and labor to complete the work within the agreed period of time specified in the contract.

1.2.2 The General Contractor shall coordinate all roughing-in required by the mechanical, sanitary and the electrical plans and specification.

1.3 WORK BY ORDERS

1.3.1 All subcontractors of finishing jobs as tile works, painting and other related works shall be subjected to the approval of the BJMP technical Working Group (TWG).

1.3.2 All subcontractors of electrical, waterproofing, plumbing and other mechanical work shall conform to those stated in the bid documents and agreed upon by writing the BJMP TWG.

1.4 STANDARD OF WORK

1.4.1 All works shall be done to the highest standard of craftsmanship by workmen of their respective trades. All workmen and subcontractors shall be skilled in their trades.

1.5 WORK SEQUENCE

- 1.5.1 Verification: The contractor shall notify the BJMP TWG if the drawings and specifications are at variance with each other.
- 1.5.2 Methods and Appliances: The Contractor shall use such methods and appliances for the performance of all the operations connected with the work embraced under the contract as will produce as satisfactory quality of work and rate progress which in the opinion of the engineers, will ensure the completion of work within the contract time.
- If, at any time before the commencement during the progress of the work, such method or appliances appears to the engineers to be inefficient or inappropriate for producing the quality of work and rate of progress, the BJMP TWG may order the contractor to increase the rate of their efficiency, or to improve their system of operation. The contractor must comply such order. Failure however of the engineers to demand such increase of efficiency or improvement of character of methods and appliances shall not relieve the contractor from his obligation to turn out such quality of work and rate of progress as are called for in this contract.
- 1.5.3 Laying out of Work: the contractor shall lay-out the lines and the grades of the work as per condition set forth under sections which covers Field Engineering of general Requirements.
- 1.5.4 Inspection of Works: The BJMP TWG and their representatives shall at all times have access to the work whenever it is in the preparation of progress and the contractor shall provide proper facilities for such access and inspection.
- 1.5.5 Defective Works: Defective works may be condemned by the BJMP TWG at any time before the final acceptance of the work, and when such work has been condemned, it shall be taken out immediately by the contractor and rebuilt in accordance with the drawings and specifications.
- 1.5.6 Increase and Decrease in quantities of work: Adjustments of drawings to suit field conditions which cannot be foreseen at the time of calling for bids, may be necessary during construction. It is the essence of the contract to recognize such changes in the drawings as constituting a normal and expected margins of adjustments, and not involving nor permitting change of modification of contract prices, provided only that resulting overruns and under runs from the quantities from the quantities in the proposal do not exceed five percent in the case of discrepancy, the matter shall submitted to the BJMP TWG before the adjustments shall be made by the contractor, otherwise it shall be at his own risk and expense.

- 1.5.7 Certification of Completion of work: Upon due notice from the contractor that he has substantially completed the work, the BJMP TWG shall make an inspection of the project. Substantial completion shall mean that the value of the work completed shall not less than ninety eight percent (98%) of the contract amount and the remaining unfurnished work shall be a minor nature only. As soon as, in the opinion of the BJMP TWG the works shall have been substantially completed, it shall issue a certificate of substantial completion.
- 1.5.8 Making Good Know Defects and Faults: The contractor shall execute at his own expense all work necessary for making good of known defects, imperfection, or faults as a result of an inspection made by or behalf of the TWG.
- 1.5.9 Cleaning Up at Completion of work refer to article 10.1 (cleaning)

1.6 CONTRACTOR USE OF PREMISES

- 1.6.1 Limitation of Use: The contractor shall confine his apparatus, storage of materials, and the operations of his workmen to limits indicated by law, ordinances, permits or direction of the TWG and shall not unreasonably encumber the premises with his materials.
- 1.6.2 Safety of Workmen and engineers: The contractor shall prior to the start of the project secure all the necessary permits and clearances from authorities involved and every workmen shall wear his identification card and appropriate uniform so as not to be mistaken as one of the prisoners. Likewise, after each day of the work, all materials and equipment shall be properly secured in place not accessible to the inmates.
- 1.6.3 Safeguard for Structure: The contractor shall not load or permit any parts of the structure to be loaded with the weight that will endanger its safety. The contractor shall enforce the TWG instruction regarding sign, advertisement, fires and smoking.
- 1.6.4 Cleaning: the contractor shall keep the premises free from the accumulation of waste materials and rubbish during the construction period.

ARTICLE 2 - SPECIAL PROJECT PROCEDURES

2.1 SPECIAL PROJECT PROCEDURES

- 2.1.1** Protection: all existing materials, finishes, structures, utilities, trees, plants, shrubs and the like which has been designated by the contract documents and the instructions of the TWG to be retained, shall be protected from damage to the same shall be remolded, repaired or replaced by the contractor at no extra expense to the owner.

ARTICLE 3 - COORDINATION

3.1 PROJECTION COORDINATION

- 3.1.1 The TWG shall have the general supervision of the work. They have the authority to stop work necessary to insure its proper execution. They shall certify when payments under the contract are due and the amount to be paid. They shall make the decisions on all claims of the owner or the contractor, which are subjected to the arbitration.

ARTICLE 4 - FIELD ENGINEERING

4.1 GRADES, LINES AND LEVELS

- 4.1.1 Lot survey: the BJMP shall be responsible for the establishment of the lot lines, boundary lines, easement and benchmarks by a certified surveyor. The BJMP relegate this responsibility to the contractor, provided the procedures are included in the contract.
- 4.1.2 Verification: The contractor shall verify all grades, lines, level and dimensions as indicated in the drawings, he shall report any error or inconsistency to the BJMP TWG before commencing work.
- 4.1.3 Laying Out of Work: All other grades, lines, levels, and benchmark necessary for the prosecution of the work shall be established and maintained by the contractor.

The contractor shall provide and maintain well built batter boards at all corners, he shall establish benchmarks in not less than two widely separate place.

All stakes, benchmarks, etc., placed by the contractor in laying out work, approved by the BJMP TWG shall be carefully guarded and preserved by the contractor.

ARTICLE 5 – REGULATORY REQUIREMENTS

5.1 BUILDING CODES

- 5.1.1 In general, the contractor shall comply with all the laws, city and municipal ordinance and all building codes, rules and regulation, in so far as they binding upon or affect the parties hereto, the work of those engage thereon. He shall also comply with the regulations of firms furnishing utilities such as water, gas, telephone, and electricity for the project.

If the contractor performs any works contrary to such laws, ordinances, rules and regulations, and without such notice to the BJMP engineers, he shall bear all the cost arising there from.

5.2 PERMITS AND TAXES

- 5.2.1 Permits and Licenses: The permits are secured and paid by the contractor, Expenses to the building permits are included in the contract sum.
- 5.2.2 Taxes: wherever the law of the place of the project requires a sales, consumer use or other similar tax related or pertinent only to the construction of the project, the contractor shall pay such tax.

ARTICLE 6 – PROJECT MEETINGS

6.1 PROGRESS MEETING

- 6.1.1 The BJMP TWG and the Contractor or their representatives shall be present at the progress meeting at the project site, with frequently as agreed upon, once the construction has started.
- 6.1.2 Minute of Meeting: The contractor shall take the minutes of the meetings unless otherwise indicated. The minutes of the meetings shall be signed by the BJMP TWG and the Contractor and shall form part of the construction documents.

6.2 JOBSITE ADMINISTRATION

- 6.2.1 The contractor shall keep in the project site during the work's progress as competent Project Engineer or Superintendent and any necessary assistants, all satisfactory to the BJMP TWG.

The Project Engineers or Superintendent shall represent to the contractor in his absence and all directions given to him by the BJMP TWG shall he as bindings as if given to the contractor. He shall have the full authority to execute orders or directions of the BJMP TWG without delay and promptly supply such materials, tools, plants, equipments and labor as be required.

ARTICLE 7 – SUBMITTALS

7.1 CONSTRUCTION SCHEDULE

- 7.1.1 The contractor shall furnish the BJMP TWG with the construction schedule of the project. This schedule shall be updated regularly according to the actual schedule of work.

7.2 NETWORK ANALYSIS AND SCHEDULE

- 7.2.1 The contractor shall furnished BJMP TWG with the network analysis schedule, clearly indicating the Critical Path. The Critical Path shall be updated regularly according to the actual schedule of work.

7.3 PROGRESS REPORT

7.3.1 The contractor shall furnish the BJMP TWG with progress reports following a schedule of work.

7.4 SHOP DRAWING, PRODUCT DATA AND SAMPLES

7.4.1 Shop Drawings: Shop Drawings shall be provided for approval of all fabricated items specified.

7.4.2 Samples: The Contractor shall furnish for approval all samples as directed. The work shall be in accordance with the approved samples. Samples and product data shall be supplied to BJMP TWG and of workmanship representing artistic techniques specified herein.

7.5 MOCK-UPS

7.5.1 The contractor shall provide mock-up within the project exhibiting final finishes for the approval of the BJMP TWG before such finishes shall be applied in the similar areas of the project.

7.6 LAY-OUT DATA

7.6.1 The contractor shall furnish the BJMP TWG the actual construction stakes and reference mark lay-out for approval.

7.7 CONSTRUCTION PHOTOGRAPH

7.7.1 If required, the contractor shall furnish the BJMP TWG with construction photographs.

ARTICLE 8 – CONSTRUCTION FACILITIES

8.1 CONSTRUCTION FACILITIES

8.1.1 Except as otherwise noted, the contractor shall provide and pay for all materials, labor, tools, water, electrical, sanitary facilities, first aid facilities, fire protection and items to complete the work. Rental charges, safety protection and maintenance of rented equipment shall be contractor's responsibility.

8.2 BARRIERS

8.2.1 Temporary fence: The contractor shall furnish and pull all temporary barricades and hoarding necessary for the protection, security, proper prosecution and completion of work.

8.2.2 Trees and other Plants: Existing trees, plants and shrub etc., which are to remain, shall be boxed and otherwise protected from damages.

8.3 SECURITY

8.3.1 The contractor shall provide reliable and competent watchmen to guard the site and premises, from the start of construction operation until project completion.

8.4 CONSTRUCTION SAFETY

8.4.1 These documents do not include the necessary components for construction safety. Safety care of adjacent properties during construction, compliance with the national and local regulation regarding safety shall be the contractor's responsibility.

8.4.2 The contractor shall adequately protect the work, the adjacent properties and the public, and shall be responsible for any damage or injury due to his act of neglect.

8.5 PROJECT IDENTIFICATION AND SIGNS

8.5. The contractor shall erect a 1.2 x 2.40 meter sign lettered by a professional painter, identifying the project, the owner, the engineers and the contractor. Location of which shall be on the direction of the BJMP TWG.

8.5.2 All sign boards of contractors, subcontractors, jobbers, and dealers that shall be placed at the project site during the progress of the construction shall be approved by the BJMP TWG as to size, design and content.

8.6 FIELD OFFICE AND SHEDS

8.6.1 Temporary facilities for protection of workers, materials, tools and equipment shall conform to local regulation and shall be the contractor's responsibility. All cement, lime and other materials affected by moisture shall be stored on platforms and protected from weather. Materials shall be so stored as to ensure preservation of their quality and fitness of the work.

8.7 INSURANCE

8.7.1 The contractor shall secure and maintain contractor's liability insurance and a fire insurance for the project.

ARTICLE 9 - MATERIALS AND EQUIPMENT

9.1 MATERIALS

- 9.1.1 Trade name materials: whenever items or class of materials is specified exclusively by trade name, by manufacturer's name or by catalogue reference, only such items will be used.
- 9.1.2 Quality of materials: unless otherwise specified, all materials shall be new. The quality of materials shall be of the best grade of their respective kinds for the purpose.
- 9.1.3 Defective materials: All materials not conforming to the requirements of these Specifications shall be considered defective and as such shall not be used unless approval is given.

9.2 SUBSTITUTION AND PRODUCTION OPTIONS

- 9.2.1 Changes or substitution of materials shall not be allowed, unless approval by the BJMP TWG.

ARTICLE 10 – CONTRACT CLOSEOUT

10.1 CLEANING

- 10.1.1 At the completion of the work, the contractor shall remove from the premises all rubbish, implements and surplus materials and leave the building broom clean. All dirt stains, and the like on all finishing of floors, wall, and ceilings, decorative work, finishing hardware, and fixtures, shall be removed. All woodwork, finishing hardware and metal works shall be cleaned and polished. The exterior shall be hand raked, free of trash or debris.

10.2 PROJECT RECORD DOCUMENTS

- 10.2.1 As – Built drawings: the contractor shall furnish the BJMP with three copies of complete “as-Built’ Drawings, which includes architectural, structural, electrical, sanitary and mechanical plans upon the completion of the project. “As – Built” drawings are drawings showing the system and actual locations of outlets, fixtures, services and equipment that were installed.
- 10.2.2 Occupancy Permit: the contractor shall obtain the Certificate of final Building Occupancy for the owner.
- 10.2.3 Certificate of Final Inspection: the contractor shall obtain the certificate of final inspection of electrical, telephone, sanitary, mechanical, water, gas, safety, fire and other utilities for the owner.
- 10.2.4 Directory of Panel Boards. The contractor shall furnish the BJMP engineers three (3)

copies of the directory panel boards and list of circuits.

10.3 WARRANTIES AND BONDS

10.3.1 The contractor shall remedy any defects due to faulty materials or workmanship that appear within a period of one year from the date of completion of the contract. The provisions of this article shall apply to work done by the subcontractors as well as to work done by direct employees of the contractor.

DIVISION 2 – SITE WORKS

2.1 SITE

2.1.1 The site shall be cleared in all directions outside of the building lines. Temporary barricades, guard lights, railings and signs shall be provided and maintained for the whole duration of the work.

2.1.2 Temporary buildings shall be constructed for the housing of the workers, sanitary convenience and material storage. Adequate water and lightning shall be installed.

2.1.3 Clear lines shall be maintained for the whole duration of the work.

2.2 EXCAVATION AND FILLING

2.2.1 All foundation shall be excavated to grades and dimensions indicated in the drawing.

2.2.2 If the required bearing capacity is not obtained at the excavation indicated of the drawings, the excavations shall be continued until such safe bearing power is obtained.

2.2.3 Footing shall not be placed on fill.

2.2.4 Excavations shall be protected from damage of rainwater, spring water and backing of drains. Drainages shall be built for this purpose. Shoring, bracing and sheathing shall be provided for the safety of necessary support for adjoining walls, soil, building and fences.

2.2.5 All excavations shall be backfilled presently as work permits after concrete walls and pipes have attained full design strength.

2.2.6 Materials for filling shall be free from waste and objectionable matters. Filled excavations shall be thoroughly tamped.

DIVISION 3 – CONCRETE AND MASONRY WORK:

3.1 PORTLAND CEMENT

- 3.1.1 Portland cement shall conform to the standard specifications for consignment numbers, dates of dispatch and delivery quantity and dates of use.
- 3.1.2 At time of use, all cements shall be free flowing and free of lumps. Lumpy or air set cement shall not be used unless the lumps can be crushed to power between fingers and thumb.
- 3.1.3 Cement delivered in bags shall be stored one well ventilated waterproof sheds with suitable elevated wooden floors and shall be kept perfectly dry.

3.2 CONCRETE AGGREGATES

- 3.2.1 Aggregates used in concrete shall conform to the standard specifications for concrete aggregates.
- 3.2.2 Aggregate failing to meet those specifications but which have shown by approved laboratory tests to produce concrete of the required quality may be used.
- 3.2.3 Aggregates shall be quarried or washed on fresh water and shall contain not more than one percent silt by weight.
- 3.2.4 The coarse aggregate of different sizes shall be stored in a separate bunkers or piles in such manners as to prevent aggregation inclusion and contamination by dirt and other foreign materials.

3.3 WATER

- 3.3.1 Water used in concrete shall be clean, free from oils, alkalis or other matter detrimental to the quality or durability of concrete.
- 3.3.2 Water shall be stored in tanks and not be allowed or exposed to dust and falling leaves.

3.4 REINFORCING STEEL BAR

Steel reinforcing bars shall be of the yield grade in the structural drawings and in the job specifications sheets and conforming to ASTM a615, “Specification for deformed billet. Steel bars for concrete reinforcements specified herein and/or the details on the drawings. Shop drawings are required for all structural steel and shall be submitted to the engineers/ consultant for approval.

- 3.4.1 Unless otherwise indicated in the plans, reinforcing bars shall be deformed steel bars and shall conform to the requirements of the “specification for billet- Steel bars for concrete reinforcement”.
- 3.4.2 Reinforcing steel shall be transported and stored at the site in such a way as to prevent damage or deterioration of the steel for use in the reinforced concrete.

- 3.4.3 All reinforcing steel shall be free from mill scale, oil, grease, tar, paint, etc., and loose rust shall be removed before use.
- 3.4.4 Use G.I wire, gauge No. 16 for binding reinforcing steel bars.
- 3.4.5 Welded joints shall be done in accordance with the American Welding society.
- 3.4.6 All reinforcements shall be carefully cut and bent in accordance with the drawings and schedules.

3.5 CONCRETE PROPORTIONS AND CONSISTENCY

- 3.5.1 The proportions of aggregate to cement for any concrete shall be such as to produce a mixture that will work readily. Concrete proportions for footing shall be 1:2:3 for beams and Columns shall be 1:2:4 and shall produce a concrete strength of $f_c=20.7$ Mpa.

With the placement method used into corners and angles of forms around reinforcements, segregation of materials in the mixtures or collection of excess free water on the surface shall not be permitted. The slump of concrete shall be the minimum that is practicable. When vibrators are used to consolidate concrete, the slump shall not exceed 4 inches; otherwise, the slump shall not exceed 6 inches. Addition of water during hot weather to maintain the same slump must be compensated by adding more cement or retain the correct water-cement ratio.

- 3.5.2 The method of measuring concrete materials shall be such that proportions can be accurately controlled and easily checked at any time during the work. 28 days concrete strengths shall be tested and shall be proportioned according to the results of the test.

3.6 FORMWORKS

- 3.6.1 Woods forms shall be sound, smooth, properly seasoned, good quality lumber, free from large, loose knots and otherwise suitable to facilitate finishing exposed concrete surface.
- 3.6.2 Formworks shall be built to resist distortion or deflection, tight to prevent loss of liquid from the concrete.
- 3.6.3 Formworks shall be coated with form oil of an approved make and care shall be taken to avoid the spilling of oil on reinforcement.

3.7 MIXING AND POURING OF CONCRETE

- 3.7.1 Unless otherwise authorized by the supervising engineer, concrete shall be machine mixed at the site.
- 3.7.2 Concrete shall be thoroughly mixed in a batch mixer of an approved size and type which shall ensure a uniform distribution of the materials throughout the mass, so that the mixer is homogenous and uniform in color.
- 3.7.3 The first batch of concrete materials placed in the mixer shall contain a sufficient excess of cement, sand and water to cut the inside of the drain with-out reducing the required mortar content of the mix.
- 3.7.4 Hand mixing shall only be allowed in case of emergencies and only upon direct supervision of the engineer-in-charge. It must be done in water tight platform.
- 3.7.5 In preparation for the placing of concrete, all sawdust, chips and other construction debris and all extraneous matter will be removed from the interior of forms, struts and stays.
- 3.7.6 Temporary discontinuance of pouring shall be referred to the supervising.

3.8 CONCRETE HOLLOWBLOCKS

- 3.8.1 Materials blocks shall be laid in accordance with the manufacturer's specifications and recommendation. Strength of blocks shall be specified in the drawings or in the specific job requirement sheet.
All concrete hollow blocks to be used are stated in the plans and drawings.

Class B (1:2-1/2:5) Mixtures shall be used for all concrete hollow blocks and shall be reinforced with 12mm dia. RSB at .80 meters O.C vertical, and horizontal at every three layers.

Concrete hollow blocks shall be 700 psi minimum

- 3.8.2 Grouting
Grout shall be sufficiently fluid to ensure complete filling of all sections of the masonry requiring grout. Grout shall not contain more than 7-1/2 gallons of water per sack of cement. In case of honeycomb on structural members, use pressure -
- injected epoxy grout, approved by the structural engineer or the engineer/consultants.
- 3.8.3 Joints

Unless otherwise specified or detailed on plans, horizontal and vertical mortar joints shall 3/8" or 10mm thick with full mortar coverage on the face shells and wed surrounding the cells to be filled. All joints shall be solidly filled. Furrowing will not be allowed.

3.8.4 MISCELANEOUS METAL WORKS

The work includes the fabrication, erection, painting, including the furnishing of all materials, labor, equipment, plant, and tools required to complete the following metal works.

3.8.4. a Main Gate, Steel Doors, Steel Window, Steel Stair,

The contractor shall be responsible for the accurate location of all steel works including all items used to attach materials to other parts of the work. Obtain measurements for all work required to be accurately fitted at the jobsite and not just from the drawing.

The contractor shall see to it that any and all items of work that are built into works of other trades are installed at the proper time. The contractor shall coordinate the work to other trades to prevent interference.

All steel members shall be joined by welding unless otherwise indicated in the plans and drawings. The welds shall be of size and type indicated and shall be made by competent operators. The above works shall be finished with two coat epoxy enamel after two coats of red oxide.

All materials shall be new and shall meet the requirement of the specification and shall be of their respective kind and approval from the engineer be sought.

Sample of any materials shall be submitted for approval by the engineer before purchasing of such materials and installation be made.

All work under this section shall be done neatly, with all joint, butted and welded. All welds shall be full weld completely filed to produce an even and smooth finish.

ARTICLE 4 – HARDWARE

All material shall be of good quality and well tested brands, any hardware equally good may be used as a substitute only in cases of extreme necessity and subjected to the approval of the supervising engineer and the owner's representative.

The contractor shall verify all dimension and conditions shown in the drawings and specification with those at the site. Any variation which requires physical change shall be brought to the attention of the BJMP TWG. The contractors shall not be given extra payments for conditions which can be determined by examining the project site and contact document.

Other items of hardware, unless to be painted over, that are not to be removed before painting shall be properly masked or completely covered until final coat of the painter's finish has been applied.

ARTICLE 5 – CLEANING UP

Upon completion of the job, it is the duty of the contractor to remove all barricades, scaffoldings, braces, and everything that is not part of the building and stacked to the place designated by the owner or brought some place else outside the jobsite. All the surroundings shall be cleaned from paint spots, dirt, and other unsightly objects. All finished work shall be approved by the supervising Engineer of the BJMP. Any portion of the work found not satisfactory and not in conformity with standard building practice shall be removed and repaired at no extra cost to the owner before the final turn-over of the building to the owner.

Section VII. Drawings

(See in separate file)

Section VIII. Bill of Quantities



Republic of the Philippines
 Department of the Interior and Local Government
BUREAU OF JAIL MANAGEMENT AND PENOLOGY
REGIONAL OFFICE 1



Parian, City of San Fernando, La Union

Project : Construction of Perimeter Fence at Urdaneta District Jail

Location: Urdaneta District Jail, Urdaneta City, Pangasinan

BILL OF QUANTITIES

Item	Description	Qty	Unit	Unit Price	Amount
				(Pesos)	(Pesos)
General Requirements					
I.	Provision of Temporary Facilities	1.00	lot	(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
II.	Site Clearing and Removal of Obstruction	1.00	lot	(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
III.	Structural Excavation	190.80	cu.m	(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
IV	Foundation Fill and Backfilling	192.90	cu.m	(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
V	Reinforcing Steel Bars	18431.19	kg	(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
VI.	Formworks and Scaffoldings	1.00	lot	(Amount in Words)	(Amount in Words)

VII.	Concrete Works	154.02	cu.m		
				(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
VIII.	Masonry Works (laying out of chb)	622.324	sq.m		
				(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
IX.	Cement Plastered Finished	1784.908	sq.m		
				(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
X.	Painting Works	1833.546	sq.m		
				(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
XI.	Supply and Installation of Combat Wire	407.52	ln.m		
				(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
XII.	Metal Works	1.00	lot	(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
XIII.	Tinsmithry Works	1	lot	(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
XIV.	Electrical Works	1	lot	(Amount in Words)	(Amount in Words)
				(Amount in Figures)	(Amount in Figures)
SUMMARY TO THE FORM OF BID					
TOTAL BID PRICE:					
(Amount in Words)					
Date Accomplished:					
Signature:					
Printed Name:					
In the Capacity of:					
Duly authorized to sign bids in behalf: 44					

Section IX. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;
and
- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
and
- (e) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules;
and
- (h) Philippine Contractors Accreditation Board (PCAB) License;
or
Special PCAB License in case of Joint Ventures;
and registration for the type and cost of the contract to be bid; **and**
- (i) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (j) Project Requirements, which shall include the following:
 - a. Organizational chart for the contract to be bid;
 - b. List of contractor's key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
 - c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; **and**
- (k) Original duly signed Omnibus Sworn Statement (OSS);

and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (l) The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (m) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).

Class "B" Documents

- (n) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence; **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (o) Original of duly signed and accomplished Financial Bid Form; **and**

Other documentary requirements under RA No. 9184

- (p) Original of duly signed Bid Prices in the Bill of Quantities; **and**
- (q) Duly accomplished Detailed Estimates Form, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid; **and**
- (r) Cash Flow by Quarter.

